



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61F 6/02	A1	(11) International Publication Number: WO 97/34551
		(43) International Publication Date: 25 September 1997 (25.09.97)

(21) International Application Number: PCT/IB96/00538


(22) International Filing Date: 2 May 1996 (02.05.96)

(30) Priority Data:
08/619,372 21 March 1996 (21.03.96) US(71)(72) Applicant and Inventor: SCHWARTZ, Alan, N.
[US/US]; 19211 93rd Place West, Edmonds, WA 98020
(US).(74) Agents: GRAYBEAL, John, O. et al.; Graybeal Jackson Haley
& Johnson, Suite 2460, 777 108th Avenue N.E., Bellevue,
WA 98004-5117 (US).(81) Designated States: AU, JP, European patent (AT, BE, CH, DE,
DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).**Published***With international search report.
With amended claims.*

(54) Title: MEDICATION DISPENSING FACILITATION SHEATHS AND METHODS OF USE THEREOF

(57) Abstract

This invention is an erectile function facilitation and methods of use thereof wherein an open-ended elastic sheath (2) has at least one fluid retaining chamber (4) incorporated therein, and has means (18) for initially partitioning and for subsequently providing communication between said at least one fluid retaining chamber (4), and the interior of said elastic sheath such that fluid in said fluid retaining chamber (4) can be dispensed into the interior of said sheath (2) by the application by the wearer of external pressure to at least one fluid retaining chamber (4). The wearer has complete control as to the time and extent of medication being dispensed. Partitioning and subsequent communication between the fluid retaining chamber and the sheath (2) interior can be by means of valves (18) or stretchable membrane, or by fold or twist or clamping, as desired.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LJ	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

**MEDICATION DISPENSING FACILITATION SHEATHS
AND METHODS OF USE THEREOF**

FIELD OF THE INVENTION

5 The invention pertains to devices and methods for assisting erectile function. More, specifically to devices which are sheaths designed for dispensing medication in connection with erection facilitation, and to methods of use thereof.

BACKGROUND OF THE INVENTION

10 Normal male erectile function requires numerous physiologic events to occur in concert. First, adequate neuro-psychogenic, chemical or electrical stimulus must be present. Second, there must be adequate arterial blood inflow into the penis. Third the corporal, smooth muscles must relax
15 and the corporal epithelial tissue must respond to the erectile stimulus, thus allowing the corporal sinusoids to expand and fill with blood. Finally, the venous closure mechanism must be initiated to prevent outflow of blood, thus resulting in storage of blood within the penis.

20 Failure of any one of these mechanisms results in erectile dysfunction. A number of vasoactive pharmaceutical agents, one of them papaverine, for example, can be used to stimulate and maintain erections by compensating for the defective mechanism.

25 Application of vasodilators is now accepted as a method for clinically producing erections. Effective vasodilators such as papaverine hydrochloride can be directly injected by

needle into the corpus of the penis. A system for dispensing vasodilator medications such as nitroglycerine exists which utilize transdermal creams and patches. There is a need for a device and a method which can deliver transdermal medication safely and effectively for individuals requiring multiple doses and requiring doses of different strength. There is a need for dispensing medication at different time intervals during intercourse in order to maintain and sustain adequate erections.

10

PRIOR ART

U.S. Patent No. 3,136,417 of Clinch discloses a method for treating the surface of a condom with a lubricant. U.S. Patent No. 4,415,548 of Reddy discloses a condom saturated with spermicidal solution. U.S. Patent No. 5,137,032 of Harmon discloses a condom in which a lubricant may be introduced into the sealed condom when it is packaged. U.S. Patent No. 4,829,991 of Boeck discloses an elastic sleeve-like member that is coated by a transdermal vasodilator applied sporadically or uniformly. U.S. Patent No. 5,333,621 of Denner discloses a vasodilator delivery system using transdermal patches. U.S. Patent No. 4,840,188 discloses a condom with a desensitizing coating at the closed end of the condom. U.S. Patent Nos. 3,136,417; 4,415,548; 5,137,032; 4,829,991; 5,333,621; and 4,840,188 disclose condoms that are coated with or lined by medication, with no means for storing or delivering a varied amount of medication. There is no method disclosed in these patents of a fluid retaining chamber

20

25

for storage of medication whereby the user can self-administer the medication in order to vary the dosage delivered. There is no method disclosed in which the time of delivery can be varied by the user in response to erectile requirements.

5 U.S. Patent No. 2,577,345 of McEwen discloses a prophylactic condom having a reinforced cap to prevent breakage of the condom at the tip of the condom. This cap has no internal structure and provides no means for storing or dispensing medications.

10 U.S. Patent No. 2,586,674 of Lonne discloses a prophylactic condom with reinforced annular extensions for structural integrity of the condom. The annular protrusions are sealed within the inner and outer layers of the condom and there is no communication between the annular protrusions and
15 the interior cavity of the condom.

U.S. Patent No. 4,798,600 of Meadow discloses a patent with structural parts designed to stimulate the penis through friction. No structure exists for medication storage or delivery.

20 U.S. Patent Nos. 4,432,357; 4,498,466; and 4,564,006, disclose sealed chambers containing a rheopexic material which remains within the chambers. The material is not released from the sealed chamber.

25 U.S. Patent No. 4,919,149 of Stang discloses a condom-like device with tubular structures that contain ingestible material that is released upon external stimulus. This ingestible material is delivered to the external environment and not to the interior cavity of the condom-like device.

This patent teaches away from the concept of delivering medication or materials into the interior cavity of the condom.

SUMMARY OF THE INVENTION

5 The present invention includes a sheath and a medication delivery system for facilitating erectile function. The sheath is a member which can be fitted onto a penis. The sheath is open at, at least, one end.

10 Among the objectives of the invention is that of providing a novel device for stimulating and maintaining erections of the penis by utilizing a transdermal vasodilator medication stored within a fluid retaining chamber and released from that chamber into the interior cavity of the facilitator upon external stimulus.

15 After the sheath is fitted onto the penis, an external stimulus such as manual compression of the medication containing chamber is administered and a controlled amount of the medication is dispensed into the sheath enabling the user to obtain an erection. If during usage, additional medication
20 is required to maintain the erection, than a second external stimulus can be applied to the one or another of the fluid retaining chambers such that additional medication is dispersed into the sheath without removing the sheath. Multiple doses of medication can thus be administered at
25 different time intervals, thereby providing for a specific individual's penile smooth muscle requirements needed and achieve or maintain an adequate level of erection. Multiple

doses and different strength does can be delivered at different time intervals by the sheath wearer during a single usage episode without removal of the sheath.

BRIEF DESCRIPTION AND DRAWINGS

5 FIG. 1 is a plan view of a first embodiment of the medication dispensing facilitation sheath according to the present invention.

 FIG. 2 is a plan view of an alternative embodiment of the facilitator.

10 FIG. 3 is a plan view of another alternate embodiment of the facilitator.

 FIG. 4 is a plan view of another alternate embodiment for the facilitator.

15 FIG. 5 is a cross sectional view of either of the embodiments shown in FIGs. 3 and 4, taken through the facilitator channels.

 FIG. 6 is a plan view of an alternative embodiment of the closed end and fluid retaining chamber.

20 FIG. 7 is another plan view of an alternative embodiment of the closed end and fluid retaining chamber.

 FIG. 8 is a cross sectional view of either of the embodiments shown in FIGs. 6 and 7, taken at the neck of the facilitator.

DESCRIPTION OF THE PREFERRED EMBODIMENT

25 Reference is made to FIGs. 1-8 in which facilitators 2 are adapted to dispense materials that include, but are not

restricted to, vasoactive medication, (e.g. spermicide, bactericide, anti-viral chemical compounds or the like) onto the surface of the penis. In the preferred embodiments, the materials dispensed are flowable materials. These flowable materials, fluids, include but are not restricted to, liquids, creams, gels, nitrous oxide and colloidal suspensions.

Facilitators 2 include a fluid retaining chamber 4 adapted to hold the above types of medications or the like. Oriented at the proximal end 8, a fluid retaining chamber 4 can be located at the base 6 of a facilitator 2 as shown in FIG. 1.

Alternatively, fluid retaining chamber 4 can be located at the distal end 10 of a facilitator 2, as shown in FIG. 2. The distal end 10 may include the tip 20 of a facilitator 2 as shown in FIG. 2.

Optionally, as shown in FIG. 3 and 4, a plurality of medication dispensing channels 12 can be oriented on the facilitator 2 with a longitudinal or axial orientation on the facilitator 2. The channels 12 can be in communication with a fluid retaining chamber 4 and can be arranged to increase the area of dispersal of medication or the like through one or more orifices 16 that communicate with the interior cavity 24 of a facilitator 2 and enable passage of medication onto the surface of the penis in the sheath 2.

A facilitator 2 can be open ended as at 14 at its base 6 closed at its distal end 10. In certain embodiments, that of FIG. 4 being illustrated for example, the facilitator 2 can be open ended as at 14 at both its base 6 and at its distal end 10.

A fluid retaining chamber 4 may be partitioned from the remainder of a facilitator 2 except for communication therebetween by a one-way valve 18 as in the form shown in FIG. 2. One-way valve 18 can be comprised of an orifice 16 surrounded by an area of elastomeric material 22, such as latex or the like which constricts orifice 16 and normally prevents passage of medication or the like from the fluid retaining chamber 4 into the facilitator 2. Other embodiments (not illustrated) can include but are not restricted to, an orifice 16 with a two-way valve, an orifice 16 with an opening covered by a thin yielding membrane, and a minute orifice 16 with no obstructing membranes and no valves. Upon application of external pressure applied to a fluid retaining chamber 4, the pressure within the fluid retaining chamber 4 increases such that orifice 16 is urged open and the medication or the like, flows into the interior cavity 24 of the facilitator 2 and onto the wearer's penis. When channels 12 are present a plurality of orifices 16 as in FIG. 4, for example, may be located therein such that medication or the like in fluid retaining chamber 4 passes from fluid retaining chamber 4 into channels 12 through orifices 16, and into the interior 24 of facilitator 2. In this configuration, the medication or the like may already be contained in channels 12, and optionally in fluid retaining chamber 4 as well, such that application of external pressure onto channels 12 releases the medication or the like. In another embodiment (not illustrated), the channels 12 of the facilitator 2 can contain medication and the channels 12 are not connected to a separate fluid

retaining chamber 4. In such an embodiment, the channels 12 serve as the sole fluid retaining chamber or means, and upon external pressure can dispense medication and the like through one or more orifices 16 into the interior 24 of the facilitator 2.

FIG. 5 is a cross sectional view of embodiments with channels 12 located on the inner surface 26 of the facilitator 2. Additional embodiments (not illustrated) can include arrangements wherein, channels 12 are located between the inner 26 and outer 28 surfaces of the sheath.

As shown in the embodiments shown in FIGs. 6, 7 and 8, medication or the like can be partitioned from facilitator 2 in a fluid retaining chamber 4 by providing the fluid retaining chamber 4 with an elongated neck 30 which is adapted to be folded upon rolling or twisting the end of the facilitator for storage prior to use. In this manner, medication or the like is partitioned from facilitator 2 in fluid retaining chamber 4. When the facilitator is unrolled for use elongate neck 30 is likewise unfolded and the medication or the like in fluid retaining chamber 4 then passes from fluid retaining chamber 4 through an orifice 16 (FIG. 8) that can be surrounded by an elastomeric material 22, and thus delivered into the interior 24 of facilitator 2 and onto the penis. Optionally, as in FIG. 7, an elongate neck 30 can be closed by a clamp or bendable tie 32 to partition facilitator 2 and fluid retaining chamber 4, in lieu of having a folding elongated neck 30 as in FIG. 7.

From the foregoing discussion of various illustrative
embodiments of the invention and methods of use thereof,
further modifications, variations and adaptations thereof will
occur to those skilled in the art to which the invention is
5 addressed, within the scope of the following claims.

WHAT IS CLAIMED IS:

1. The method of dispensing medication and the like to facilitate male penis erectile function, comprising:

providing an open-ended elastic sheath with at least one fluid retaining chamber incorporated therein and with means
5 for initially partitioning and for subsequently providing communication between said at least one fluid retaining chamber and the interior of said sheath such that fluid in said fluid retaining chamber can be dispensed into the interior of said sheath by the application of external
10 pressure to said at least one fluid retaining chamber, installing said elastic sheath onto the penis of a person needing erectile function facilitation, and dispensing, under control of the wearer of said elastic sheath, the medication or the like to the interior of said elastic sheath and onto
15 the wearer's penis by the wearer applying external pressure to said at least one fluid retaining chamber as and when needed for such facilitation.

2. The method of claim 1, comprising arranging said at least one fluid retaining chamber in the proximal portions of said elastic sheath and applying external pressure to said proximal portions.

3. The method of claim 1, comprising arranging said at least one fluid retaining chamber in the distal portions of said elastic sheath and applying external pressure to said distal portions.

4. A facilitator for dispensing flowable medication or the like onto a penis, comprising:

an open-ended elastic sheath adapted to fit onto a penis;

at least one fluid retaining chamber incorporated in said
5 elastic sheath;

means for initially partitioning and for subsequently
providing communication between said at least one fluid
retaining chamber and the interior of said elastic sheath such
that fluid in said fluid retaining chamber can be dispensed
10 into the interior of said sheath.

5. The facilitator of claim 4, wherein said elastic
sheath comprises a plurality of channels connected with said
fluid retaining chamber, each of said channels including said
means for initially partitioning and for subsequently
5 providing communication between said fluid retaining chamber
and said elastic sheath, said channels also being adapted to
store fluid prior to dispensing the fluid into the interior of
said sheath.

6. The facilitator of claim 4 wherein said fluid
retaining chamber comprises a plurality of channels, each of
said channels including said means for initially partitioning
and for subsequently providing communication between said
5 channels of said elastic sheath, said channels being adapted
to store fluid such that the fluid can be dispensed into the
interior cavity of said facilitator.

7. The facilitator of claim 4 wherein said elastic sheath has a base portion and said fluid retaining chamber is in said base portion.

8. The facilitator of claim 4 wherein said elastic sheath has a distal portion and said fluid retaining chamber is in said distal portion.

9. The facilitator of claim 4 wherein said elastic sheath has a tip and said fluid retaining chamber is in said tip.

10. The facilitator of claim 9 wherein said means for initially partitioning and for subsequently providing communication between said elastic sheath and said fluid retaining chamber is a foldable elongate neck joining said
5 fluid retaining chamber and said elastic sheath.

11. The facilitator of claim 9 wherein said means for initially partitioning and for subsequently providing communication between said elastic sheath and said fluid retaining chamber comprises a removable clamp placeable
5 between said elastic sheath and said fluid retaining chamber.

12. The facilitator of claim 4 wherein said means for initially partitioning and for subsequently providing communication between said sheath and said elastic fluid retaining chamber is a valve comprising a region of

- 5 elastomeric material whereby said area of elastomeric material is expandable by application of external pressure on the fluid in said retaining member to open said orifice such that the fluid passes there through and into said elastic sheath.

[received by the International Bureau on 21 October 1996 (21.10.96);
original claims 1-12 replaced by amended claims 1-9 (3 pages)]

1. The method of dispensing medication and the like to facilitate male penis erectile function, comprising:

providing an elastic sheath open at both ends with at least one fluid retaining chamber incorporated therein and with means for initially partitioning and for subsequently providing communication between said at least one fluid retaining chamber and the interior of said sheath such that fluid in said fluid retaining chamber can be dispensed into the interior of said sheath by the application of external pressure to said at least one fluid retaining chamber;

installing said elastic sheath onto the penis of a person needing erectile function facilitation, and dispensing, under control of the wearer of said elastic sheath, the medication or the like to the interior of said elastic sheath and onto the wearer's penis by the wearer applying external pressure to said at least one fluid retaining chamber as and when needed for such facilitation.

2. The method of claim 1, comprising arranging said at least one fluid retaining chamber in the proximal portions of said elastic sheath and applying external pressure to said proximal portions.

3. The method of claim 1, comprising arranging said at least one fluid retaining chamber in the distal portions of said elastic sheath and applying external pressure to said distal portions.

4. A facilitator for dispensing flowable medication or the like onto a penis, comprising:

an elastic sheath open at both ends and adapted to fit onto a penis;

at least one fluid retaining chamber incorporated in said elastic sheath; and

means for initially partitioning and for subsequently providing communication between said at least one fluid retaining chamber and the interior of said elastic sheath such that fluid in said fluid retaining chamber can be dispensed into the interior of said sheath.

5. The facilitator of claim 4, wherein said elastic sheath comprises a plurality of channels connected with said fluid retaining chamber, each of said channels including said means for initially partitioning and for subsequently providing communication between said fluid retaining chamber and said elastic sheath, said channels also being adapted to store fluid prior to dispensing the fluid into the interior of said sheath.

6. The facilitator of claim 4, wherein said fluid retaining chamber comprises a plurality of channels, each of said channels including said means for initially partitioning and for subsequently providing communication between said channels of said elastic sheath, said channels being adapted

to store fluid such that the fluid can be dispensed into the interior cavity of said facilitator.

7. The facilitator of claim 4, wherein said elastic sheath has a base portion and said fluid retaining chamber is in said base portion.

8. The facilitator of claim 4, wherein said elastic sheath has a distal portion and said fluid retaining chamber is in said distal portion.

9. The facilitator of claim 4, wherein said means for initially partitioning and for subsequently providing communication between said sheath and said elastic fluid retaining chamber comprises valve means openable responsive to pressure and comprising a region of elastomeric material whereby said area of elastomeric material is expandable by application of external pressure on the fluid in said retaining member to open said orifice such that the fluid passes therethrough and into said elastic sheath.

1/2

FIG. 1




FIG. 2




FIG. 3





FIG. 4



2/2

FIG. 5




FIG. 6




FIG. 7





FIG. 8



INTERNATIONAL SEARCH REPORT

International application No.

PCT/96/00538

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : A61F 6/02

US CL : 128/842, 844, 918; 604/347-353

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 128/842, 844, 918; 604/347-353

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	US, A, 4,446,860 (GUTNICK) 08 May 1964, see the entire document.	1, 3, 4, 8, 9 ----- 2, 5-7, 10-12
Y	US, A, 4,919,149 (STANG) 24 April 1990, see the entire document.	2, 5-7
Y	US, A, 4,829,991 (BOECK) 16 May 1989, see the entire document.	2, 5-7
Y	US, A, 5,046,489 (GIBSON) 10 September 1991, see the entire document.	10-12

☐ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be part of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
I document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

12 AUGUST 1996


Date of mailing of the international search report

27 SEP 1996

 Name and mailing address of the ISA/US
 Commissioner of Patents and Trademarks
 Box PCT
 Washington, D.C. 20231

Facsimile No. (703) 305-3590

Authorized officer


 MICHAEL A. BROWN

Telephone No. (703) 308-2682